211 "DESTROYED" (BY WHITE ANTS).

The Mysore Government Promissory Notes Nos. F. 000960 and F. 000961, 6½ per cent Loan of 1940 for Rs. 1,000-0-0, rupees one thousand each, originally standing in the name of Munisamappa of Amamu, Dodballapur and last endorsed to self, the proprietor, by whom it was never endorsed to any other person, having been destroyed partly by white ants, notice is hereby given that the payment of the above notes and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore, and that application is about to be made for the issue of duplicates in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the abovementioned securities.

ಮುನಿಸಾಮಪ್ಪ
Proprietor of the Securities.

RESIDENCE, DODBALLAPUR,
Dated 1st July 1940.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 39619-28, *dated 26th June* 1940.

To

The Firms dealing in P. S. Tanks.

Enquiry No. 4107.

P. S. TANK AND STEEL STAGING FOR SRI NARASIMHARAJA HOSPITAL, KOLAR.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices for delivery f. o. r., Kolar Town Railway Station and the earliest time of delivery for the materials described in the schedule printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for P. S. Tank and Steel Staging for Sri Narasimharaja Hospital, Kolar," with the above enquiry number.

This enquiry will be closed on the 15th July 1940.

Schedule.

Detailed Specification for an Elevated Tank of 10,000 gallons capacity (16′×12′×8′) on 30 ft. staging for water-supply to Sri Narasimharaja Hospital, Kolar.

One pressed steel tank 16′×12′×8′ of about 10,000 gallons capacity on 30 ft. M.S. staging substantially designed. The tank should be completely covered at top and also provided with dust proof manhole cover, gauge and accessible ladder. The steel plates and the staging should be according to the specification noted below.

The tank should consist of pressed steel plates 4′×4′ the thickness of all the bottom plates and the lower tier of the side plates being ¼″ thick and the upper half being 3/16″ thick. The tank should be provided with ⅛″ thick mild steel plate covering supported on angle iron rafters with gentle slope for draining of all water. A dust proof manhole cover 21″ in diameter with necessary locking arrangement should also be provided for. A steel ladder to get into the tank from the manhole should be included with necessary fixtures.

A suitable level indicator with necessary pulleys, float, etc., should be provided for with a prominent gauge board. There should be a recess in the top cover to house the float so that the float may not get stuck when the tank is full.

Sufficient quantity of proper jointing materials, lead tubing, bolts and nuts with washers, etc., complete should be sent to enable the erection being done at site of works.

The staging 30 ft. high to support the above tank should consist of angle iron or channel iron stanchions with angle iron bracings of sufficient strength and the stanchions should be provided with suitable baseplates and foundation bolts, etc.

Proper section of main joists either channel or I beam with top joists for supporting the tank should be included. In this connection, mention has to be made for the information of the firms that the lengths of these main joists as well as top joists should invariably be longer than the outside dimension of the tank so that these beams may project 3″ on either end, outside the bottom edge of the tank.

The staging should be erected at the works and each part numbered so that the parts could be assembled at site easily.

A suitable ladder from the ground to the top of the tank should be included to facilitate climbing up the tank and all the necessary fixtures and struts to the same should be completely given.

Two sets of correct working drawings with complete dimensions of all parts should be furnished to facilitate erection. The drawings should be sent well in advance.

The tank and the staging materials have to be painted with a prime coat of dark grey paint before despatch.

No. S. P. C. 39738-58, *dated* 28*th June* 1940.

To

The Firms dealing in Electrical Machinery.

Enquiry No. 4112.

ELECTRIC BLOWER FOR THE USE OF COMBINED JEWELL FILTERS AT BANGALORE.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such a event, the Stores Purchase Committee, reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electric Blower for the use of Combined Jewell Filters at Bangalore" with the above enquiry number.

This enquiry will be closed on the 23rd July 1940.

SCHEDULE.

Item No.	Description of material	Quantity	Price quoted F.O.R. Bangalore
1	Portable Electric Blower with universal ball bearing motor ¼ H.P. 220 volts, 25 cycles, and 11,500 r.p.m. ... *Make.*—Electric Blower Co., Boston, U.S.A.	One.	

N.B.—The tenderers may quote for other makes also.

The name of the manufacturers should be clearly specified.

No. S. P. C. 39725-37, *dated* 26*th June* 1940.

To

The Firms dealing in Linseed Oil.

Enquiry No. 4113.

LINSEED OIL.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule, in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases

being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Linseed Oil," with the above enquiry number.

This enquiry will be closed on the 12th July 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Mysore.	
1	*Linseed Oil.*—Pure, double boiled, in five gallons non-returnable sound drums, free from adulteration and to confrom to Indian Stores Department Specification No. G/P. 307/224.	1,500 Gls.		
2	*Linseed Oil.*—Raw, in five gallons drums, free from adulteration and to confrom to Indian Stores Department Specification No. G/P. 307/221	500 „		

N.B.—1. Samples should accompany your quotation.

2. The prices to be quoted should hold good for a period of one year, and the material should be supplied on indents.

No. S. P. C. 39716-24, *dated 26th June* 1940.

To

The Firms dealing in Screw Jack.

Enquiry No. 4114.

SCREW JACK REQUIRED FOR THE AERODROME.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Screw Jack," with the above enquiry number.

This enquiry will be closed on the 8th July 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
	Screw Jack of 6 ton capacity for lifting and traversing	One		

No. S. P. C. 40137-60, dated 28th June 1940.

To

The Firms dealing in Iron Safes.

Enquiry No. 4115.

IRON SAFES REQUIRED DURING 1940-41.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery in Government Offices in Bangalore, for iron safes described below furnishing complete specifications of the safes of the following sizes :—

Size.	*Height.*	*Width.*	*Depth.*
1	23″	19″	19″ outside.
	21½″	18½″	15″ inside.
2.	30″	21″	21″ outside.
	28½″	20½″	17″ inside.

The specification of the iron safes should be as follows :—

The integral body of the safe should be made of a single continuous ⅛″ thick best steel plate bent cold with a single joint at the bottom substantially made by putting a full plate, all the sixteen edges being bent cold and the corners welded. The safe should consist of single door and two drawers at the bottom and a shelf should also be provided. The safe should be fitted with good six lever lock and check key, having independent keys for the drawers. The safe must possess very high class quality of fire resisting compound and should be capable of withstanding a severe fire test, if necessary without affecting the contents thereof. The safe should also be burglar-proof.

The rates quoted should hold good for one year from the date of the contract is let.

The Stores Purchase Committee do not bind themselves to purchase any definite number of safes and the contract will be deemed to be limited to the number to be actually drawn by the Departments during the contract period.

Enhancement of the prices quoted for by you cannot under any circumstances be allowed during the contract period.

Your enquiry will be closed on 15th July 1940. The quotation should be superscribed "Quotation for Iron Safe" and sent to the undersigned with the above enquiry number.

No. S. P. C. 40296-306, dated 1st July 1940.

To

The Firms dealing in Telephones.

Enquiry No. 4117.

TELEPHONES AND ACCESSORIES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Telephones and Accessories" with the above enquiry number.

This enquiry will be closed on the 29th July 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Schedule I.		Belagola Railway Station.	
1	Wall telephone long distance 34 with Neophone hand set 2,500 Ohms. ringer and with a powerful generator	6		
2	Glass jars small size	20		
3	Porous pots small	60		
4	Zinc rods small	144		
5	Seimens Inert Cells No. 56	6		
6	Extension bells 2,000 Ohms.	4		
7	Lighting arresters Airgap and pellet type Cat. No. Vaccum 166612	2		
8	D.P. S.T. knife switches 30 amp. 250 volts, Trumbull mounted on slate base ..	2		
	Schedule II.			
1	Spare automatic switch	3		
2	Spare arm transmitter code No. 248	3		
3	Mouth pieces bakelite for the transmitter ..	6		
4	Receiver code No. 246	3		
5	Diaphragm Ferry type	3		
6	Spare covers for receiver	6		

The materials included in Schedule II are spares required for Chicago Phones.

No. S. P. C. 40288-95, *dated* 1*st July* 1940.

To

The Firms dealing in Machinery.

Enquiry No. 4118.

WHEEL BARROWS FOR SHIMOGA DIVISION.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule given below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Wheel barrows for Shimoga Division " with the above enquiry Number.

This enquiry will be closed on the 22nd July 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	All-steel tubular wheel barrows $3\frac{1}{2}$ c.ft. capacity solid pressed seamless trays and round spoked malleable wheels	2 dozens	Shimoga.	

1. The names of the manufacturers should be stated.
2. Diagram of the wheel barrows offered should be furnished with the quotation.

No. S. P. C. 40262-87, *dated* 1st *July* 1940.

To

The Firms dealing in Pumping Sets.

Enquiry No. 4119.

PUMPING SET TO SRI NARASIMHARAJA HOSPITAL AT KOLAR.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery, f.o.r., Kolar, and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the folliowing conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committe reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pumping Set to Sri Narasimharaja Hospital at Kolar" with the above enquiry Number.

This enquiry will be closed on the 1st of August 1940.

Schedule.

Specification for an electric power pumping set required for water supply to Sri Narasimharaja Hospital, from the existing borewell at Kolar.

One deep well pump capable of lifting 35 imperial gallons of clear water per minute, from an existing borewell of 6" diameter, against a total head of 200 feet. The depth of the pipe line in the well is 145 feet, and the lift on the delivery side is 60 feet. The water is to be delivered into an open reservoir.

The pump has to be provided with slide rails on top and grooved pulley for 'V' belt drive if need be.

Motor.—One electric motor of requisite horse power running on 3 phase, 25 cycles, 220 volts, A.C. system provided with pulley for 'V' belt drive.

One starter, with no volt and over load relay to suit.

One 'V' belt for diving the above.

One Bourdon's type pressure gauge, dial. 6" diar. indicating pressure in feet head (250 ft.) and lbs. per square inch, with its adjuncts.

The quotation should be F. O. R., Kolar (Mysore State Railway).

Alternative quotations for direct coupled units of Pamona Type may also be given.

No. S. P. C. 4-18, *dated* 1st *July* 1940.

To

The Firms dealing in Steel Cash Box.

Enquiry No. 4121.

STEEL CASH BOX.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Cash Box" with the above enquiry Number.

This enquiry will be closed on the 15th July 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Steel Cash Box made of thick plate and measuring lengh 18″× width 12″ × height 8″ ..	One.	Belagola Railway Station, Mysore State Railway.	

N.B.—Complete description of the cash box offered should be furnished in the quotation.

Yours faithfully,
MIR SAFDAR HUSSAIN,
Secretary,
Stores Purchase Committee.

No. S. P. C. 30, *dated* 1*st July* 1940.

*NOTICE.

Enquiry No. 4103.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Surgical Instruments, Hospital Appliances, etc., required for the Mysore Government Medical Stores during the year 1940-41 up to 5 P.M. on 5th August 1940.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 2 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

By Order,
MIR SAFDAR HUSSAIN,
Secretary,
Stores Purchase Committee.